The White Hole Hypothesis - A New Cosmic Renewal Process

Exploring ASASSN-15lh from A Multidimensional Perspective



By Randi Green

BA Theology, Economics and Human Resources, Licensed Psychotherapist

The Higher Order Psychic-Energetic Future Project

All Rights Reserved © 2025 Randi Green

Abstract

In the vast and ever-changing cosmos, certain astronomical events challenge the limits of our understanding. One such anomaly is ASASSN-15lh, an unprecedentedly bright and mysterious cosmic explosion that defies conventional classification. Originally thought to be the most luminous supernova ever recorded, its unusual properties and unexpected location in a massive, dormant galaxy raise fundamental questions about the nature of extreme astrophysical phenomena.

Could ASASSN-15lh be more than just a supernova? Might it represent an entirely new cosmic mechanism—one that involves unknown interactions between dark energy, dark matter, and the life cycle of galaxies?

This article explores the possibility that ASASSN-15lh is not merely an explosion, but a profound restructuring of a galactic environment—a celestial ignition point where dormant matter is reawakened, perhaps even heralding the emergence of a new star system. By stepping outside the standard astrophysical paradigms, we may begin to glimpse an uncharted frontier of cosmic evolution, where luminous outbursts like this one serve as the white-hot crucibles of new stellar architectures.

I have used AI to generate images (Bing.com) and OpenAI.com to edit, research and assist in the writing of this booklet, as well as formulating advanced scientific ideas and the possible technology of the future.

1. A Celestial Enigma Defying Astrophysical Models

ASASSN-15lh, also designated SN 2015L, is an exceptionally luminous astronomical event discovered on June 14, 2015, by the All Sky Automated Survey for SuperNovae (ASAS-SN).[1] Located approximately 3.8 billion light-years from Earth in the southern constellation Indus, it was initially classified as a superluminous supernova—the most luminous ever observed at that time.

Key Characteristics:

- Luminosity: At its peak, ASASSN-15lh was about 570 billion times brighter than the Sun and 20 times more luminous than the entire Milky Way galaxy.
- Host Galaxy: The event occurred near the center of a massive, passive galaxy with low star formation rates, differing from typical hosts of superluminous supernovae, which are usually smaller, star-forming galaxies.

[1] For more details on ASASSN-15lh https://en.wikipedia.org/wiki/ASASSN-15lh
And in Nature The Superluminous Transient…..https://www.nature.com/articles/s41550-016-0002

The exact nature of ASASSN-15lh has been a subject of debate among astronomers:

- Superluminous Supernova: Initially, it was considered a type I superluminous supernova (SLSN-I), characterized by the absence of hydrogen in its spectrum. However, its extreme luminosity and location in a quiescent galaxy raised questions about this classification.

- Tidal Disruption Event (TDE): Subsequent studies proposed that ASASSN-15lh might be a tidal disruption event, where a star is torn apart by the gravitational forces of a rapidly spinning supermassive black hole (a Kerr black hole). This hypothesis accounts for the event's luminosity and other observed features.

- Other Hypotheses: Alternative explanations include gravitational lensing effects, a quark nova occurring within a Wolf-Rayet star, or rapid spindown of a magnetar (a highly magnetized neutron star). However, these scenarios are less widely accepted.

ASASSN-15lh is a cosmic event that stands out because of its extreme brightness, unusual location, and ongoing debate over its true nature. Most superluminous supernovae (SLSNe) occur in small, actively star-forming galaxies, where massive stars explode at the end of their lives.

However, ASASSN-15lh was found in a massive, quiescent galaxy with little star formation, making its origin more puzzling. At its peak, it was far brighter than any known supernova, about 570 billion times the luminosity of the Sun and twice as bright as the previous record-holder. This extreme energy output challenges traditional models of supernova mechanics, leading some researchers to suggest an alternative explanation.

One possibility is that ASASSN-15lh wasn’t a typical supernova at all, but rather a tidal disruption event (TDE)—where a star got too close to a rapidly spinning supermassive black hole and was torn apart by its gravity. A TDE could explain why the event occurred in a large, passive galaxy rather than a star-forming one.

2. Dark Energy as a Catalyst for Galactic Rebirth

But what if ASASSN-15lh represents a new way in which dark energy and dark matter interact to produce a luminous nova-like event? Then we need to step outside the standard astrophysical framework and explore novel alternative possibilities.

Dark energy is generally considered a uniform force causing the accelerated expansion of the universe, but what if it isn't evenly distributed? What if there are regions where dark energy clumps or undergoes phase transitions under certain conditions? Instead of just pushing space apart, perhaps dark energy can momentarily concentrate in specific areas, triggering a kind of high-energy phase shift.

- Instead of being a smooth, background force, dark energy might form temporary high-density regions, which could then collapse and release stored energy in the form of an outward burst—potentially explaining the extreme luminosity of ASASSN-15lh.

- Dormant galaxies might act like seed structures, where dark energy interacts with pre-existing matter to trigger a cascading effect, converting dark energy into visible energy, similar to a latent fire suddenly being rekindled.

3. Dark Matter as a Hidden Fuel Source

Dark matter is often assumed to be passive—affecting gravity but not directly interacting with normal matter except through weak interactions. But what if dark matter can undergo energy transitions under specific conditions?

- Dark Matter Annihilation: If ASASSN-15lh is situated in a region with high dark matter density, a triggering event (such as a cosmic shockwave or interaction with dark energy) could cause dark matter to self-annihilate in a way we haven’t yet detected, releasing an enormous burst of energy.

- Phase Transition of Dark Matter: Instead of annihilation, dark matter could shift into a different energetic state, momentarily converting into high-energy photons or plasma-like structures. This could explain why the event doesn’t resemble typical black hole activity—because it’s not driven by normal matter collapsing but by dark matter unlocking hidden energy reserves.

4. The White Hole Hypothesis

A white hole is theoretically the opposite of a black hole—it expels matter and energy rather than absorbing it. Although white holes are often thought to be purely mathematical solutions with no physical reality, ASASSN-15lh might suggest otherwise.

- If black holes and white holes are linked, ASASSN-15lh might be a case where energy is being released from another region of the universe, possibly due to a quantum fluctuation or wormhole-like connection.

- If galaxies can collapse into high-energy dormant states (similar to black holes but on a galactic scale), then perhaps certain conditions cause them to “reawaken” in bursts of luminous energy, functioning similarly to white holes but on a much larger scale.

The White Hole Hypothesis suggests a new mechanism of galactic rebirth, challenging the traditional view that the universe simply expands, collapses, and fades into entropy. Instead, it proposes a self-renewing cosmic process where dark energy and dark matter interact to reorganize dormant regions into active structures.

Perhaps a new approach to dark energy would assist in this new understanding. Contrary to general interpretation as a uniform force driving expansion, it may cluster in specific regions of space where activity has ceased.

Once a certain threshold is reached, a rapid phase transition could occur, releasing stored energy in a controlled, wave-like pattern. Unlike an uncontrolled explosion, this would generate a structured, self-replicating energetic field capable of reorganizing matter and rekindling cosmic activity.

ASASSN-15lh and similar phenomena may not be random cataclysmic events but rather structured emissions of energy, radiating in tidal wave patterns similar to the solar magnetic cycle but on a vastly larger scale. These waves could interact with surrounding dark matter, forming new gravitational and energetic focal points that dynamically shape the fabric of space. Such a process suggests that singularities do not emerge solely from gravitational collapse but can also arise from the controlled release of energy within a structured field.

This could redefine the way stellar regions are born. Instead of following the traditional model of star formation from nebula gas clouds, these wave-structured energetic events might lead to the emergence of entirely new types of stellar systems. The unusual elemental composition of ASASSN-15lh suggests that such systems may operate on an unfamiliar material basis, potentially undetectable with current spectral analysis methods. If this hypothesis holds, these newly structured regions could become the foundation for novel planetary systems, opening the possibility for lifeforms based on unknown matter-energy interactions. Rather than a universe driven by decay and collapse, this perspective offers a vision of cosmic renewal, where luminous outbursts act as the ignition points for the next evolutionary stage of galaxies.

5. Holographic-Energetic Model

This ties into the idea of a holographic energetic grip—suggesting that ASASSN-15lh could be an example of reality restructuring itself.

- *Information Transfer Across Space-Time*: If the universe operates holographically, ASASSN-15lh might be an imprint of a larger energetic event occurring in a different region of the cosmos.
- *Self-Organizing Cosmic Systems*: If dark energy and dark matter contribute to self-organizing principles, then ASASSN-15lh could be an instance of spontaneous cosmic structuring, where order emerges from what seems like chaos.

If ASASSN-15lh represents a cosmic renewal process, then our understanding of how the universe maintains equilibrium must be reconsidered. Rather than simply expanding toward an inevitable heat death, the universe may be pulsing, undergoing rhythmic cycles of decay and regeneration. As some regions fade into dormancy, others ignite into new formations, suggesting a dynamic interplay between destruction and renewal.

Black holes have long been seen as the ultimate expressions of entropy and dissolution, consuming matter and light in an irreversible collapse. However, ASASSN-15lh raises the possibility of a counteracting force—a white hole or a similar energetic renewal event—where energy and structure emerge in response to declining systems. Instead of an endless process of disintegration, the universe may possess an intrinsic mechanism of self-renewal, where the collapse of one system catalyzes the birth of another.

If this event is not an anomaly but part of a larger cosmic pattern, we should expect to find more such instances where dormant galaxies reawaken. This would point to a self-organizing principle at work, one that aligns with the idea of a holographic-energetic universe in which wave patterns dictate the formation and evolution of large-scale cosmic structures.

Instead of viewing the cosmos as a one-directional flow toward entropy, we may be looking at a universe that thrives on counterbalance, momentum, and the continuous reconfiguration of its own architecture. If ASASSN-15lh represents a new class of energetic event, astronomers should look for:

1. Dark Matter Distribution Analysis – Mapping the surrounding dark matter density could reveal whether this event correlates with hidden mass structures.
2. Long-Term Energy Decay Curves – If this is a dark energy-driven event, its luminosity drop-off might not follow standard supernova decay rates.
3. Search for Similar Events – If ASASSN-15lh is part of a new cosmic process, there should be more such events, possibly clustered in regions with unique dark matter/dark energy properties.

To Sum up

If we consider this event as a wave-producing white hole, we open the possibility of a structured cosmic process rather than a chaotic energy burst. Instead of radiating outward in a random manner, the emissions from ASASSN-15lh may form intricate wave patterns, similar to the magnetic field of the sun but operating on a multidimensional scale. These waves could interact with dark energy and dark matter, exciting dormant energy fields in much the same way that solar winds shape planetary magnetospheres. In this scenario, previously inert regions of space would become energized, laying the groundwork for the emergence of new structures over vast timescales.

If dark energy is not merely a uniform force of expansion but a fluid-like or layered medium, then its interaction with these pulsating wave emissions could trigger phase transitions, elevating it to new energetic states. This would create the conditions for the formation of a new type of stellar system—not necessarily one based on the conventional elements we recognize, but an entirely different spectrum of forces. The standard models of astronomy, which rely on known elemental signatures, may be blind to these phenomena simply because they operate outside of our current detection methods.

In a dormant galaxy where the central singularity has effectively burned out, such a process could give rise to a new focal point. Rather than being the product of collapse, as with black holes, these singularities may emerge from the condensation of high-energy wave structures, forming a self-organizing energy nucleus.

Over time, this nucleus could accumulate enough density to initiate the outward emission of matter-like structures, forming an entirely new type of system within the void left by the old one. This perspective challenges the prevailing view of the universe as an entropic system that inevitably winds down. Instead, it suggests a rhythmic structure in which destruction and renewal are deeply

interconnected. Rather than a one-way collapse into oblivion, there exists a counterbalancing force—one that transforms decay into emergent formations.

In this model, black holes and white holes are not opposing anomalies but two aspects of the same fundamental process: one dissolving structures, the other assembling new ones. Energy, rather than simply vanishing, is reorganized elsewhere, creating fresh singularities that radiate outward, reshaping the surrounding space.

This also aligns with the concept of holographic structuring, where wave patterns—not just gravitational collapse—determine the formation of cosmic structures. The absence of detectable elements in these regions may not indicate a lack of matter but rather the presence of a different form of material organization, one that does not conform to the elemental structures we are familiar with.

If such a process is responsible for the formation of entirely new stellar regions, then the life that emerges in these zones would not be based on our periodic table but on an alternative framework of matter-energy interactions.

This raises the possibility that certain areas of space are "activated" for new forms of life, while others enter a dormant state or drift into the abyss. Civilizations that arise in these emergent zones would likely have a vastly different perception of the universe, shaped by a cosmology centered on renewal rather than collapse.

This reframing of the universe as a system of momentum and counter-momentum suggests that it does not simply expand and dissipate but pulses, reorganizes, and regenerates. The presence of a white hole-like process, one that fosters new structures rather than merely expelling matter, would imply that every region experiencing decay is balanced by the emergence of new potential elsewhere.

This fundamentally alters our understanding of cosmic evolution, shifting from a heat-death model to one of dynamic, wave-structured regeneration. The question remains: how can we model these wave patterns in terms of energy distribution? Identifying them may provide a roadmap for detecting these processes in the observable universe.

References

Bekenstein, J. D. (2003). "Information in the Holographic Universe." *Scientific American*, 289(2), 58-65.

Bousso, R. (2002). "The Holographic Principle." *Reviews of Modern Physics*, 74(3), 825–874.

Carr, B., & Coley, A. (2010). "Persistence of Black Holes Through Cosmological Bounce Scenarios." *International Journal of Modern Physics D*, 19(15), 2953-2959.

Davis, T. M., & Lineweaver, C. H. (2004). "Expanding Confusion: Common Misconceptions of Cosmological Horizons and the Superluminal Expansion of the Universe." *Publications of the Astronomical Society of Australia*, 21(1), 97-109.

Hawking, S. (1976). "Black Holes and Thermodynamics." *Physical Review D*, 13(2), 191-197.

Penrose, R. (2010). *Cycles of Time: An Extraordinary New View of the Universe*. Vintage.

Poplawski, N. (2010). "Radial Motion into an Einstein–Rosen Bridge." *Physics Letters B*, 687(2-3), 110-113.

Susskind, L. (1995). "The World as a Hologram." *Journal of Mathematical Physics*, 36(11), 6377–6396.

Verlinde, E. (2011). "On the Origin of Gravity and the Laws of Newton." *Journal of High Energy Physics*, 2011(4), 29.

Visser, M. (1996). *Lorentzian Wormholes: From Einstein to Hawking*. AIP Press.

Witten, E. (1998). "Anti-de Sitter Space and Holography." *Advances in Theoretical and Mathematical Physics*, 2, 253-291.